

SAMPLE RECEIVED
August 11, 2026

COA ISSUED
August 28, 2026

SAMPLE INFORMATION

Vendor
First Choice Peptides

Sample Name
KLOW Blend 80mg

Sample Type
Blue lyophilized powder

Lot Number
KLOW80-0713

MW (g/mol)
342.4, 403.2, 1419.5, 4964.2

ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW Blend	KPV, GHK-Cu, BPC-157, TB-500	LC-MS/MS	✓ Conforms
Content	50.71, 10.14, 10.82, 10.77 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.81%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms
Sterility	Not Detected	<USP71>	✓ Conforms

HPLC Chromatogram · Retention Time 1.971, 2.087, 9.118, 9.163 min



Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at bioviridians.com/coa-search.html using the Web Verification Code above.



info@bioviridians.com

Shane Straight

Shane Straight, M.S.

Principal Chemist, Bioviridian Inc.